

A Survey on IoT Based Smart Agriculture with Automated Irrigation and Crop Suggestions

#¹Palak Brijpuria, #²Manvitha Akula, #³Nisha Biradar, #⁴Kuldeep Padaliya, #⁵Prof. Swati Narkhede



¹palakbrijpuria2208@gmail.com,
²manvitha.akula@gmail.com,
³nishabiradar7@gmail.com,
⁴patel.kuldeep2525@gmail.com,
⁵narkhedeswati37@gmail.com

#¹²³⁴⁵Department of Information Technology
 Dhole Patil College of Engineering, Wagholi, Pune

ABSTRACT

The project presents the correct use of the soil moisture sensors which helps to ease out the pain to monitor and keep records about the changes in the soil moisture starting from the cultivation to the harvesting period of the crops. Using the ESP controller with hygrometer moisture sensor, humidity is measured and analysed. The hygrometer is a sensor which when placed in the soil for a certain duration, provides information related to the moisture status of the soil. The ESP8266 will collect and process the data received from the hygrometer. When a threshold moisture level of the soil is reached, the water will be supplied accordingly. This is essential because water must be provided to the plant at a specific time for a good yield. User can access this from any remote location to keep a track of his crops or plants. This system efficiently manages both, water and energy, it also analyses the collected data by sensors and gives specific suggestions about suitable crop to grow based on the properties of that land. This system ensures the healthy growth of the plant without the presence of the user.

Keywords: ESP8266, Moisture Sensor, IoT, Crop Suggestion

ARTICLE INFO

Article History

Received: 14th May 2019

Received in revised form :
 14th May 2019

Accepted: 16th May 2019

Published online :

17th May 2019

I. INTRODUCTION

In the present era, one of the greatest problems faced by the world is water shortage and agriculture being an important occupation consumes lots of water. Therefore, something is required that uses water judiciously. Automatic irrigation systems estimate and measure the level of existing field's moisture in order to operate and control an irrigation system, restoring water as needed while minimizing the use of water.

The soil moisture-based irrigation control [1] uses Unique techniques, which are relatively simple, but these quantities are related to the soil water characteristics that is specific to the type of the soil available. Also, sensors used require routine maintenance for proper performance. Intelligent automatic plant irrigation system [2] concentrates on watering the plants regularly without the human monitoring using a moisture sensor. The circuit is built around a comparator Op-amp which drives a relay to switch on motor. The system uses hardware component, which is

subjected to variation in the environmental conditions. An Android application is used for monitoring the soil moisture, activating the motor and scheduling the irrigation process. Prototyped with the real-time, smart sensor array is used for measuring the soil moisture and the soil temperature. This system is not specific for a field and hence its usage is not limited. Proper scheduling of irrigation is important for efficient water utilization in the crop production, particularly under conditions of water shortage. The effects of the applied amount of irrigation water, irrigation frequency and the water usage are particularly important. To improve the water utilization there must be a proper irrigation method scheduling the strategy. So, our project devices a simple system, using a microcontroller to automate the irrigation and to use minimum water according to the requirements.

II. WHY NEED THIS SYSTEM

Until quite recently, India enjoyed abundant water resources. But population growth and overexploitation has led to a situation where the demand for water is exceeding the supply.




Fig1: The graph shows exponential decrease of water per capita.

From the graph we can notice that the water availability is gradually falling. If this rate continues, then we would face severe water shortage. So, there is an urgent need to conserve water. During manual irrigation, the water requirement of plants/crops is not monitored. Even when the soil is moist enough, water is still provided. This water is not absorbed by the plants and thus is wasted. Hence a system to monitor the water requirements of the plant is needed.

Problem Statement:

Problem Statement: Lack of proper knowledge in applying methods, to predict and maintain the soil moisture, quality and all other parameters has so far yield poor results for the farmers. They face problems in all the dimensions. So, by integrating IoT into the existing farming practices would increase the production, consumption efficiency and the costs based on the real-time data.

III. LITERATURE SURVEY

Smart Farm Monitoring Using Raspberry Pi and Arduino 2015 Siwakorn Jin-darat, Pong-pisitt Wuttidit-tachotti[1]. The findings of this study found that the system could monitor surrounding weather conditions including humidity, temperature, climate quality in the farm.

Sustainable Agriculture using Eco-friendly and Energy Efficient Sensor Technology 2016 Srisruthi.S, N.Swarna, G.M.Susmitha Ros, Edna Elizabeth[2] which supports careful management and cultivation of crops involving less use of fertilizers, pesticides, calculated use of precious natural resources like energy, water through controlled irrigation and fertilization practices with the help of green sensor technology and electronic control systems.

Soil Infiltration Rate as a Parameter for Soil Moisture and Temperature Based Irrigation System 2016 Anlyn N. Yumang, Arnold C. Paglinawan, Lariz Ann A. Perez, John Francis F. Fidelino and Joseph Benedict C. Santos[3] an Irrigation System Automated by using sensors and automated valve is designed so that there is a control in irrigation, which also reduce the system's power

consumption. The moisture sensor is used to determine the moisture of the soil and when to trigger the irrigation.

Research on water-saving irrigation automatic control system based on Internet of things 2011 Zhang Feng [4], to improve irrigation of water, use efficiency, reduce cost of irrigation water, this paper discussed the design of wireless sensor network and Internet technology of farm-land by automatic irrigation control method. Emphasis on an analysis of the routing protocol of sensor network nodes to achieve the system hardware, software design, middleware, and applications.

Automated Irrigation System Using a Wire-less Sensor Network and GPRS Module 2013 Joaquin Gutierrez, Juan Francisco Villa-Medina, Alejandra Nieto-Garibay, and Miguel Angel Porta-Gndara[5]. The system has a distributed wireless network of soil-moisture sensors placed in the root zone of the plants. In addition, a gateway unit handles sensor information, triggers actuators, and transmits data to an android application.

IV. SYSTEM OVERVIEW

This prototype monitors the amount of soil moisture and water level. A predefined range of soil moisture and water is set and can be varied with the soil type. In case, the moisture or water of the soil deviates from the specified range, the system is turned on/off. In case of dry soil and high-water level, it will activate the irrigation system, pumping water for watering the plants.

The block diagram of smart irrigation system is represented in Fig1. It consists of an ESP8266 Wi-Fi controller which is the brain of the system. The moisture sensor is connected to the input pins of the controller. The water pump is coupled with the output pins. If the sensors depart from the predefined range, the controller turns on the pump. The servo motor is used to control the angular position of the pipe, which ensures equal distribution of water to the soil. This system can be implemented on large scale for farming purposes, which can further prove to be more advantageous. Owing to prevailing conditions and water shortages, the optimum irrigation schedules should be determined especially in farms to conserve water.




Fig 2. Block diagram

Software Design:

The software used in our project is ESP8266. It provides several libraries to make programming simple. In our prototype, the controller is programmed in Arduino software. The program in Arduino designates a pre-set range of resistance value in digital format (ranging from 0 to 1023) for the moisture. Any aberration from the set range, switches on/off the pump to water the plants. Also, an Android application is used for controlling and monitoring ESP8266.

V. ADVANTAGES OF THE SYSTEM

This technology is recommended for efficient automated irrigation systems and it may provide a valuable tool for conserving water planning and irrigation scheduling which is extendable to other similar agricultural crops. Maximum absorption of the water by the plant is ensured by spreading the water uniformly using a water pump. So, there is minimal wastage of water. This system also allows controlling the amount of water delivered to the plants when it is needed based on types of plants by monitoring the soil moisture. This project can be used in large agricultural area where human efforts need to be minimized. Many aspects of the system can be customized and fine-tuned through software for a crop requirement.

VI. CONCLUSION

The proposed system is useful to the farmers. This system is used to sense the moisture by using the sensor which is placed on the field. Moisture can be measured by the Hygrometer. Sensed data will be stored on the server/cloud. ESP8266 is used to make an interface between sensors. The most important thing in this proposed model is that it has Android Interface. The system is provided with an Android Interface which will be user friendly to all of us. Advancements in sensor technology and control systems allow for optimal use of resources. Our aim is to design and develop newer techniques that will allow farm automation to deliver to its full potential. Thus, it can be concluded that the proposed project will be beneficial to the society by adopting the fast-growing Internet of Things and sustainable ways of farming.

VII. FUTURE SCOPE

Our project can be improvised by adding a Web scraper which can predict the weather and water the plants/crops accordingly. If rain is forecasted, less water is let out for the plants. A water meter can be installed to estimate the amount of water used for irrigation and thus giving a cost estimation. Furthermore, Wireless sensors can also be used.

VIII. ACKNOWLEDGEMENT

We would like to extend our sincere thanks to all those who played a role in the completion of this project. Firstly, we are highly indebted to our college DPCOE, Pune for their constant supervision and support. We would also like to thank Prof. Swati Narkhede for her guidance, and

encouragement throughout the project work. Lastly, we are immensely grateful to all those who are involved in this project, as without their inspiration and valuable suggestion it would not have been possible to develop the project within the prescribed time period.

REFERENCES

- [1] Siwakorn Jindarat, Pongpisitt Wuttidittachotti. "Smart Farm Monitor-ing Using Raspberry Pi and Arduino". IEEE 2015, April 21 - 23 in Imperial Kuching Hotel, Kuching, Sarawak, Malaysia.
- [2] Srisruthi.S, N.Swarna, G.M.Susmitha Ros, Edna Elizabeth. "Sustain-able Agriculture using Eco-friendly and Energy Efficient Sensor Tech-nology". IEEE International Conference May 20-21, 2016, India.
- [3] Joaquin Gutierrez, Juan Francisco Villa-Medina, Alejandra Nieto-Garibay, and Miguel Angel Porta-Gndara "Automated Irrigation System Using a Wireless Sensor Network and GPRS Module ." IEEE Instrumentation and Measurement Society, 2014.
- [4] Suraj Nandkishor Kothawade, Shaikh Mohammed Furkhan, Abdul Raof and Kunjan Suresh Mhaske. "Efficient Water Management for Green-land using Soil Moisture Sensor." IEEE Intelligent Control and Energy Systems (ICPEICES-2016).
- [5] Analyn N. Yumang, Arnold C. Paglinawan, Lariz Ann A. Perez, John Francis F. Fidelino and Joseph Benedict C. Santos. " Soil Infiltration Rate as a Parameter for Soil Moisture and Temperature Based Irrigation System." International Conference on Control System, Computing and Engineering, 2527 November 2016, Penang, Malaysia.
- [6] Programming on Arduino www.arduino.cc
- [7] Different types of information www.wikipedia.com
- [8] Zhang Feng Research on water-saving irrigation automatic control system based on Internet of things